

<!--[if gte mso 9]><xml> <w:WordDocument> <w:View>Normal</w:View>
<w:Zoom>0</w:Zoom> <w:TrackMoves /> <w:TrackFormatting /> <w:PunctuationKerning />
<w:ValidateAgainstSchemas /> <w:SavelfXMLInvalid>>false</w:SavelfXMLInvalid>
<w:IgnoreMixedContent>>false</w:IgnoreMixedContent>
<w:AlwaysShowPlaceholderText>>false</w:AlwaysShowPlaceholderText> <w:DoNotPromoteQF
</w:LidThemeOther>EN-US</w:LidThemeOther> <w:LidThemeAsian>X-
NONE</w:LidThemeAsian> <w:LidThemeComplexScript>X-
NONE</w:LidThemeComplexScript> <w:Compatibility> <w:BreakWrappedTables />
<w:SnapToGridInCell /> <w:WrapTextWithPunct /> <w:UseAsianBreakRules />
<w:DontGrowAutofit /> <w:SplitPgBreakAndParaMark /> <w:DontVertAlignCellWithSp />
<w:DontBreakConstrainedForcedTables /> <w:DontVertAlignInTxbx /> <w:Word11KerningPairs
</w:CachedColBalance /> </w:Compatibility>
<w:BrowserLevel>MicrosoftInternetExplorer4</w:BrowserLevel> <m:mathPr> <m:mathFont
m:val="Cambria Math" /> <m:brkBin m:val="before" /> <m:brkBinSub m:val="-" />
<m:smallFrac m:val="off" /> <m:dispDef /> <m:lMargin m:val="0" /> <m:rMargin m:val="0" />
<m:defJc m:val="centerGroup" /> <m:wrapIndent m:val="1440" /> <m:intLim m:val="subSup" />
<m:naryLim m:val="undOvr" /> </m:mathPr></w:WordDocument> </xml><![endif]--><!--[if gte
mso 9]><xml> <w:LatentStyles DefLockedState="false" DefUnhideWhenUsed="true"
DefSemiHidden="true" DefQFormat="false" DefPriority="99" LatentStyleCount="267">
<w:LsdException Locked="false" Priority="0" SemiHidden="false" UnhideWhenUsed="false"
QFormat="true" Name="Normal" /> <w:LsdException Locked="false" Priority="9"
SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="heading 1" />
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 2" />
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 3" />
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 4" />
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 5" />
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 6" />
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 7" />
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 8" />
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 9" />
<w:LsdException Locked="false" Priority="39" Name="toc 1" /> <w:LsdException
Locked="false" Priority="39" Name="toc 2" /> <w:LsdException Locked="false" Priority="39"
Name="toc 3" /> <w:LsdException Locked="false" Priority="39" Name="toc 4" />
<w:LsdException Locked="false" Priority="39" Name="toc 5" /> <w:LsdException
Locked="false" Priority="39" Name="toc 6" /> <w:LsdException Locked="false" Priority="39"
Name="toc 7" /> <w:LsdException Locked="false" Priority="39" Name="toc 8" />
<w:LsdException Locked="false" Priority="39" Name="toc 9" /> <w:LsdException
Locked="false" Priority="35" QFormat="true" Name="caption" /> <w:LsdException
Locked="false" Priority="10" SemiHidden="false" UnhideWhenUsed="false" QFormat="true"
Name="Title" /> <w:LsdException Locked="false" Priority="1" Name="Default Paragraph Font"
</w:LsdException Locked="false" Priority="11" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Subtitle" /> <w:LsdException Locked="false"
Priority="22" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Strong"
</w:LsdException Locked="false" Priority="20" SemiHidden="false"

UnhideWhenUsed="false" QFormat="true" Name="Emphasis" /> <w:LsdException Locked="false" Priority="59" SemiHidden="false" UnhideWhenUsed="false" Name="Table Grid" /> <w:LsdException Locked="false" UnhideWhenUsed="false" Name="Placeholder Text" /> <w:LsdException Locked="false" Priority="1" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="No Spacing" /> <w:LsdException Locked="false" Priority="60" SemiHidden="false" UnhideWhenUsed="false" Name="Light Shading" /> <w:LsdException Locked="false" Priority="61" SemiHidden="false" UnhideWhenUsed="false" Name="Light List" /> <w:LsdException Locked="false" Priority="62" SemiHidden="false" UnhideWhenUsed="false" Name="Light Grid" /> <w:LsdException Locked="false" Priority="63" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Shading 1" /> <w:LsdException Locked="false" Priority="64" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Shading 2" /> <w:LsdException Locked="false" Priority="65" SemiHidden="false" UnhideWhenUsed="false" Name="Medium List 1" /> <w:LsdException Locked="false" Priority="66" SemiHidden="false" UnhideWhenUsed="false" Name="Medium List 2" /> <w:LsdException Locked="false" Priority="67" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 1" /> <w:LsdException Locked="false" Priority="68" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 2" /> <w:LsdException Locked="false" Priority="69" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 3" /> <w:LsdException Locked="false" Priority="70" SemiHidden="false" UnhideWhenUsed="false" Name="Dark List" /> <w:LsdException Locked="false" Priority="71" SemiHidden="false" UnhideWhenUsed="false" Name="Colorful Shading" /> <w:LsdException Locked="false" Priority="72" SemiHidden="false" UnhideWhenUsed="false" Name="Colorful List" /> <w:LsdException Locked="false" Priority="73" SemiHidden="false" UnhideWhenUsed="false" Name="Colorful Grid" /> <w:LsdException Locked="false" Priority="60" SemiHidden="false" UnhideWhenUsed="false" Name="Light Shading Accent 1" /> <w:LsdException Locked="false" Priority="61" SemiHidden="false" UnhideWhenUsed="false" Name="Light List Accent 1" /> <w:LsdException Locked="false" Priority="62" SemiHidden="false" UnhideWhenUsed="false" Name="Light Grid Accent 1" /> <w:LsdException Locked="false" Priority="63" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Shading 1 Accent 1" /> <w:LsdException Locked="false" Priority="64" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Shading 2 Accent 1" /> <w:LsdException Locked="false" Priority="65" SemiHidden="false" UnhideWhenUsed="false" Name="Medium List 1 Accent 1" /> <w:LsdException Locked="false" UnhideWhenUsed="false" Name="Revision" /> <w:LsdException Locked="false" Priority="34" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="List Paragraph" /> <w:LsdException Locked="false" Priority="29" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Quote" /> <w:LsdException Locked="false" Priority="30" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Intense Quote" /> <w:LsdException Locked="false" Priority="66" SemiHidden="false" UnhideWhenUsed="false" Name="Medium List 2 Accent 1" /> <w:LsdException Locked="false" Priority="67" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 1 Accent 1" /> <w:LsdException Locked="false" Priority="68" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 2 Accent 1" /> <w:LsdException Locked="false" Priority="69" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 3 Accent 1" /> <w:LsdException Locked="false"


```

<w:LsdException Locked="false" Priority="73" SemiHidden="false" UnhideWhenUsed="false"
Name="Colorful Grid Accent 5" /> <w:LsdException Locked="false" Priority="60"
SemiHidden="false" UnhideWhenUsed="false" Name="Light Shading Accent 6" />
<w:LsdException Locked="false" Priority="61" SemiHidden="false" UnhideWhenUsed="false"
Name="Light List Accent 6" /> <w:LsdException Locked="false" Priority="62"
SemiHidden="false" UnhideWhenUsed="false" Name="Light Grid Accent 6" />
<w:LsdException Locked="false" Priority="63" SemiHidden="false" UnhideWhenUsed="false"
Name="Medium Shading 1 Accent 6" /> <w:LsdException Locked="false" Priority="64"
SemiHidden="false" UnhideWhenUsed="false" Name="Medium Shading 2 Accent 6" />
<w:LsdException Locked="false" Priority="65" SemiHidden="false" UnhideWhenUsed="false"
Name="Medium List 1 Accent 6" /> <w:LsdException Locked="false" Priority="66"
SemiHidden="false" UnhideWhenUsed="false" Name="Medium List 2 Accent 6" />
<w:LsdException Locked="false" Priority="67" SemiHidden="false" UnhideWhenUsed="false"
Name="Medium Grid 1 Accent 6" /> <w:LsdException Locked="false" Priority="68"
SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 2 Accent 6" />
<w:LsdException Locked="false" Priority="69" SemiHidden="false" UnhideWhenUsed="false"
Name="Medium Grid 3 Accent 6" /> <w:LsdException Locked="false" Priority="70"
SemiHidden="false" UnhideWhenUsed="false" Name="Dark List Accent 6" />
<w:LsdException Locked="false" Priority="71" SemiHidden="false" UnhideWhenUsed="false"
Name="Colorful Shading Accent 6" /> <w:LsdException Locked="false" Priority="72"
SemiHidden="false" UnhideWhenUsed="false" Name="Colorful List Accent 6" />
<w:LsdException Locked="false" Priority="73" SemiHidden="false" UnhideWhenUsed="false"
Name="Colorful Grid Accent 6" /> <w:LsdException Locked="false" Priority="19"
SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Subtle Emphasis" />
<w:LsdException Locked="false" Priority="21" SemiHidden="false" UnhideWhenUsed="false"
QFormat="true" Name="Intense Emphasis" /> <w:LsdException Locked="false" Priority="31"
SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Subtle Reference" />
<w:LsdException Locked="false" Priority="32" SemiHidden="false" UnhideWhenUsed="false"
QFormat="true" Name="Intense Reference" /> <w:LsdException Locked="false" Priority="33"
SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Book Title" />
<w:LsdException Locked="false" Priority="37" Name="Bibliography" /> <w:LsdException
Locked="false" Priority="39" QFormat="true" Name="TOC Heading" /> </w:LatentStyles>
</xml><![endif]--> &lt;!-- /* Font Definitions */ @font-face {font-family:"Cambria Math";
panose-1:2 4 5 3 5 4 6 3 2 4; mso-font-charset:0; mso-generic-font-family:roman;
mso-font-pitch:variable; mso-font-signature:-1610611985 1107304683 0 0 159 0;}
@font-face {font-family:Calibri; panose-1:2 15 5 2 2 2 4 3 2 4; mso-font-charset:0;
mso-generic-font-family:swiss; mso-font-pitch:variable; mso-font-signature:-
1610611985 1073750139 0 0 159 0;} /* Style Definitions */ p.MsoNormal, li.MsoNormal,
div.MsoNormal {mso-style-unhide:no; mso-style-qformat:yes; mso-style-
parent:""; margin-top:0in; margin-right:0in; margin-bottom:10.0pt;
margin-left:0in; line-height:115%; mso-pagination:widow-orphan; font-
size:11.0pt; font-family:"Calibri","sans-serif"; mso-ascii-font-family:Calibri; mso-ascii-
theme-font:minor-latin; mso-fareast-font-family:Calibri; mso-fareast-theme-
font:minor-latin; mso-hansi-font-family:Calibri; mso-hansi-theme-font:minor-latin;

```

```
        mso-bidi-font-family:"Times New Roman"; mso-bidi-theme-font:minor-bidi;}
.MsoChpDefault {mso-style-type:export-only; mso-default-props:yes; mso-ascii-
font-family:Calibri; mso-ascii-theme-font:minor-latin; mso-fareast-font-family:Calibri;
mso-fareast-theme-font:minor-latin; mso-hansi-font-family:Calibri; mso-hansi-
theme-font:minor-latin; mso-bidi-font-family:"Times New Roman"; mso-bidi-theme-
font:minor-bidi;} .MsoPapDefault {mso-style-type:export-only; margin-bottom:10.0pt;
line-height:115%;} @page Section1 {size:8.5in 11.0in; margin:1.0in 1.0in 1.0in
1.0in; mso-header-margin:.5in; mso-footer-margin:.5in; mso-paper-source:0;}
div.Section1 {page:Section1;} --&gt; <!--[if gte mso 10]> <style>
```

/* Style Definitions */

table.MsoNormalTable

```
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-qformat:yes;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:10.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:11.0pt;
font-family:"Calibri","sans-serif";
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-fareast-font-family:"Times New Roman";
```

mso-fareast-theme-font:minor-fareast;

mso-hansi-font-family:Calibri;

mso-hansi-theme-font:minor-latin;}

</style> <![endif-->

<p class="MsoNormal">This is a copy and paste directly from Microsoft Word 2007 into the backend of Wordpress using arial font.</p>